



AMERICAN HEARTH

Madison Direct-Vent Fireplaces

Clean-Face Deluxe, Premium, Luxury,
and Multi-sided



Deluxe & Deluxe Clean-Face Series

Deluxe Clean Face Models

- 18,000 Btu, 32-inch, 7-piece Log Set
- 20,000 Btu, 36-inch, 6-piece Log Set
- 25,000 Btu, 42-inch, 7-piece Log Set

Deluxe models feature our Contour tube-style burner, designed to complement the hand-painted ceramic fiber log set, and produce a natural dancing flame.

Deluxe models are offered in Millivolt (with standing pilot) and in Intermittent Pilot (with battery backup). Both are available in propane or natural gas.

Deluxe Clean Face systems are designed for in-wall installation. Tile or other non-combustible material may be used to conceal the outer edge of the fireplace to provide a true built-in appearance.



Madison Deluxe Clean-Face Direct-Vent Fireplace (DVCD32FP) with Aged Brick Liner in Custom Mantel with Tile Surround.

Premium Clean-Face Traditional Fireplaces

- DVCP32BP – 24,000 BTUs, 32-inch, 4 x 6 5/8
Top Vent only (View area – 684 sq. in.)
- DVCP36BP – 24,000 BTUs, 36-inch, 4 x 6 5/8
Top Vent only (View area – 759 sq. in.)
- DVCP42BP – 28,500 BTUs, 42-inch, 4 x 6 5/8
Top Vent only (View area – 963 sq. in.)

The Premium Clean-Face Traditional Madison includes a tempered glass view window and a unique burner that delivers a rich flame pattern. The ceramic fiber log set is required (but sold separately). Each log is hand painted for stunning realism with detailed bark, knots, and charring.



Madison Premium Clean-Face Direct-Vent Traditional Fireplace (DVCP36BP) with Cottage Brick Liner, Custom Surround, and White Profile Mantelshelf



Madison Premium Clean-Face Direct-Vent Fireplace (DVCC36BP) with Black Porcelain Liner, Driftwood Log Set, and Custom Surround

Premium Clean-Face Contemporary Fireplaces

- DVCC32BP – 24,000 BTUs, 32-inch, 4 x 6 5/8
Top Vent only (View area – 684 sq. in.)
- DVCC36BP – 24,000 BTUs, 36-inch, 4 x 6 5/8
Top Vent only (View area – 759 sq. in.)
- DVCC42BP – 26,500 BTUs, 42-inch, 4 x 6 5/8
Top Vent only (View area – 963 sq. in.)

The Premium Clean-Face Madison includes a tempered glass view window and a unique burner that delivers a rich flame pattern. The ceramic fiber rock set is required (but sold separately). Each rock piece is hand painted.

The contemporary fireplace includes a deep black polished porcelain-steel liner to enhance the reflected flames.

Madison Traditional Clean-Face Luxury Direct-Vent Fireplace

With its large ceramic glass window and clean-face design, this luxury direct-vent fireplace creates the illusion of a site-built fireplace, but offers the convenience and operating efficiency of a modern gas system. The traditional luxury clean-face fireplace is available in 36-inch and 42-inch models. The available blower helps circulate warm air more quickly and is controlled by a convenient multi-function remote.

Designed for in-wall installation, our luxury clean-face models require just over 22 inches of depth. The venting connects to the top of the fireplace, but can run out the wall or up through the roof. Tile or other noncombustible material may be used to conceal the outer edge of the fireplace to create a true built-in system.

These direct-vent fireplaces draw in fresh outside air to support combustion and exhaust combustion by-products to the outdoors. The 5 x 8 vent-within-a-vent isolates the incoming fresh air from the exhaust, yet still requires just a single hole through the wall or roof.

A fireplace barrier screen is included to help protect you and your family from inadvertently touching the hot glass.



Luxury Madison Clean-Face Fireplace with Cottage Brick Liner

A Great View From Any Angle

Both Madison Peninsula and See-through models feature an attractive clean-face design that integrates the barrier screens into the fireplace – flush with the fireplace face – allowing you to install tile, brick, or other non-combustible materials right up to the fireplace opening.

Choose between the hand-painted Campfire Logs or Mixed Logs and Stones to customize your fireplace. Both multi-sided fireplaces are rated at 34,000 Btu (Nat) / 34,000 Btu (LP), and include non-combustible board for installation above the fireplace. Additional non-combustible materials may be required. See installation manual.



Direct-Vent Premium See-Through Fireplace, Cottage Brick Liner with Soldier Course, and Campfire Logs

Direct-Vent Premium Peninsula Fireplace, Cottage Brick Liner with Soldier Course, and Mixed Stones and Logs



Liners

Deluxe and premium fireplace liner options



Aged Brick



Rustic Brick



Black Porcelain

Luxury fireplace liner options



Traditional Stone



Cottage Brick




Black Porcelain

Premium multi-sided fireplace liner options



Cottage Brick with Soldier Course



Black Fluted



Black Porcelain

Lighting Kit & Blower

Lighting kit draws attention to the intricate details in the log set and liner – even when no fire is burning. Enhance heat distribution with the optional variable-speed blower. Both the light and blower include a rheostat control and are available for all models.




Optional Lighting Kit




Optional Variable-Speed Blower

Decorative Doors & Andirons *(optional)*

For Luxury fireplace only



Forged Iron Doors



*Beveled Window Frame in Oil-Rubbed Bronze
(Also available in Brushed Nickel)*



Decorative Andirons

Control Options


Your Madison Clean-Face Peninsula or see-through fireplace is available in Millivolt – with a standing pilot for simple, reliable operation all winter long. Or choose our energy-saving Intermittent Pilot ignition. The IP system includes battery backup to operate in a power outage and can switch to a standing pilot to warm your home during an extended power failure. Both the Millivolt and IP systems work with our control accessories – from a simple on/off remote to a thermostat to a programmable thermostat remote.



*FRBTP
Programmable
Remote Control
Millivolt or IP*



*FRBC
Remote
Control
Millivolt Only*



*FRBTC
Thermostat
Remote Control
Millivolt or IP*



*RVKP or RVKN
Remote Control
IP Only*



*TRW
Wall Thermostat*



*TMV
Wall Thermostat*






*FWS
Wall Switch*

Minimum Framing Dimensions for Deluxe, Premium, & Luxury Models *(in inches)*

Model	A	B	C
DVCD32FP	39	35-1/4	18
DVCD36FP	39	38-1/4	18
DVCD42FP	41	44-1/4	18
DVCP32BP	38 1/8	34 7/16	17 1/2
DVCC32BP	38 1/8	34 7/16	17 1/2
DVCP36BP	38 1/8	34 7/16	17 1/2
DVCP42BP	40 1/8	43 7/16	17 1/2
DVCC42BP	40 1/8	43 7/16	17 1/2
DVCX36FP	42 5/16	42 3/8	21 1/2
DVCX42FP	42 5/16	46 3/8	21 1/2

See owners manual for complete dimensions.



Warranty for All Models

10-year limited warranty on combustion chamber; limited lifetime on glass.
All other parts carry a 3-year limited warranty.
All Remote Controls carry a 1-year limited warranty.

All direct-vent fireplaces manufactured after January 1, 2015, must be installed with a barrier screen to prevent accidental contact with hot glass. Depending on the fireplace model, the barrier screens are available separately or incorporated into decorative fronts. See owner's manual for details.

Refer to your Owner's Manual for complete installation and safety information.

Gas Inlet for All Models

Type of Gas	Natural or Propane
Iron Pipe Size (N.P.T.)	1/2 inch

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

918 Freeburg Ave.
Belleville, IL 62220-2623
e-mail: info@empirecomfort.com

AH-01083 03/19/21