SHOWER M-Series Thermostatic Shower System - Shower AQ4.000SC-LM39E0







Information

- 3/4" thermostatic valve and trim
- 3/4" stop/volume control valve and trim (3 pieces)
- Rainfall, rain curtain and cascade water functions
- Showerhead features no-clog, easy-clean spray nozzles
- Wall-mounted, battery-powered controller and holder; controls LED chromotherapy lighting
- Optional extension kit
- Showerhead flow rate \leq 1.8 gpm
- ADA





Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions

Finishes



Polished Chrome





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant
 dependent on functions


Code Compliance


CALGreen

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs






The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 3/2016. <u>www.graff-faucets.com</u> | phone: 800-954-4723

SHOWER Qubic Tre M-Series Thermostatic Valve Trim with Handle G-8043-LM39E-T





Information

- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve
- ADA

Finishes



Polished Chrome





- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve


Available Finishes

- Polished Chrome
 G-8043-LM39E-PC-T
- Brushed Nickel
 G-8043-LM39E-BNi-T
- Polished Nickel
 G-8043-LM39E-PN-T
- Steelnox*
 G-8043-LM39E-SN-T*
- Olive Bronze*
 G-8043-LM39E-OB-T*

Warranty


Limited lifetime warranty

For complete warranty information go to http://www.graff-designs.com/en/info/faqs



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 5/2018. <u>www.graff-designs.com</u> | phone: 800-954-4723 SHOWER Stop/Volume Control Valve with Pass Through G-8076





Information

- 12.3 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions

Finishes







- 13.2 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance

CALGreen

Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 3/2016. <u>www.graff-faucets.com</u> | phone: 800-954-4723





Information

- Single metal handle and decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve
- ADA

Finishes







- Single metal handle and decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve


Available Finishes

- Polished Chrome G-8098-LM39E1-PC-T
- Brushed Nickel
 G-8098-LM39E1-BNi-T
- Polished Nickel
 G-8098-LM39E1-PN-T
- Steelnox*
 G-8098-LM39E1-SN-T*
- Olive Bronze* G-8098-LM39E1-OB-T*

Warranty


Limited lifetime warranty

For complete warranty information go to http://www.graff-designs.com/en/info/faqs



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 5/2018. <u>www.graff-designs.com</u> | phone: 800-954-4723 SHOWER Ceiling-Mount Showerhead System **G-8221**





Information

- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- · Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate \leq 1.8 max gpm
- CALGreen

Finishes





									ii:											
٠		٠		.*	٠	1.5		.*		. *			٠	٠	٠		٠		٠	
•			÷.			1		85	12		12		1				•	•		
	12			1	1	2	•			12	۰.	۰.		•						1. Sec. 1. Sec
3	1			1	12					-						•	•		•	•
			٠÷.	5	1			22	32	2.2	20	22	ୁ	21					•	
•		•										. •	• •					•	•	
				1	1		22		12	2.2	23	12	2.3				٠.		•	
	٠ ٠ .			8	23			1.1	22	22	20	12	2.2		•		•		•	
	۰.	•							1.5				* *		•	•	•			
•			S. 7.		65.		**			••		98	•.•			•	٠		•	
2	12	12		e.											1	10		85.	- 5	0.000
2	- 21			2	φ.	22	- 21	- 21	2	82	÷.	2	2	12		12	÷.		12	
٠	٠	•	٠	•			•		•	•	•	*	•	•	•	•	•	٠	•	•
					4	-	-		-		-		-	-						

- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

• Stainless Polished G-8221-SP

Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs

17-11/16" (450 mm)

23-5/8" (600 mm)

The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 1/2018 www.graff-designs.com | phone: 800-954-4723