



Roca

Legend



Legend

Legend reproduces the design of English stone on different faces with a great deal of movement, unified under the same shade. Creating differential environments through its gentle contrasts, Legend evokes feelings of balance and serenity.

Glazed & Polished Porcelain


 24"x48" R - 12"x24" R - 12"x24" - 8"x9" Hexagon

Legend Blanco 12"x24"



Legend 8"x9" Hexagon



Legend Graphite 24"x48" R Unpolished

Legend

Glazed & Polished Porcelain















24"x48" R 60x120 cm
 12"x24" R 30x60 cm
 8"x9" Hexagon 20x22 cm









Blanco


- | | |
|--|---|
|  |  |
| 24"x48" R UP
UFLG011-2448 | 24"x48" R PO
UFLGPO011-2448 |
|  |  |
| 12"x24" UP
UFLG011-1224 | 12"x24" R PO
UFLGPO100-1224 |
|  |  |
| 13"x13" UP Mosaic
UFLG011-13M | 8"x9" Hexagon
UFLG011-89H |

- 
3"x12" UP Bullnose
UFLG011-S43C9









Arena

- | | |
|---|---|
|  |  |
| 24"x48" R UP
UFLG371-2448 | 24"x48" R PO
UFLGPO371-2448 |
|  |  |
| 12"x24" UP
UFLG371-1224 | 12"x24" R PO
UFLGPO371-1224 |
|  |  |
| 13"x13" UP Mosaic
UFLG371-13M | 8"x9" Hexagon
UFLG371-89H |

- 
3"x12" UP Bullnose
UFLG371-S43C9






Graphite

- | | |
|--|---|
|  |  |
| 24"x48" R UP
UFLG101-2448 | 24"x48" R PO
UFLGPO101-2448 |
|  |  |
| 12"x24" UP
UFLG101-1224 | 12"x24" PO
UFLGPO101-1224 |
|  |  |
| 13"x13" UP Mosaic
UFLG101-13M | 8"x9" Hexagon
UFLG101-89H |

- 
3"x12" UP Bullnose
UFLG101-S43C9



Vison

- | | |
|---|---|
|  | |
| 12"x24" UP
UFLG141-1224 | |
|  |  |
| 13"x13" UP Mosaic
UFLG141-13M | 8"x9" Hexagon
UFLG141-89H |

- 
3"x12" UP Bullnose
UFLG141-S43C9

Legend

Glazed & Polished Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM	
		Polished	Unpolished
Water Absorption	C373	<=0.5%	<=0.5%*
Break Strength	C648	Min 335	Min 250
Scratch Hardness	MOH's Scale	3	5
Chemical Resistance	C650	Unaffected	Unaffected
Frost Resistance	C1026	Resistant	Resistant
Group	See FAQ's	3	4*
Deep Abrasion - Unglazed Tiles	C1243	Pass	-
PEI Glazed Tiles	C1027	4	2-4*
Minimum Bond Strength (PSI)	C482	165	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.40	<=0.42
Shade and Texture Rating	CTDA "V"	V4	V4
Facial Dimensions	C499	Pass	Pass
Range of Thickness	C499	Pass	Pass
Warpage	C485	Pass	Pass
Wedging	C502	Pass	Pass

*Water absorption is <3 for the 8"x9" Hexagon

*Group if 3 for the 8"9 Hexagon

*PEI is 4 for all sizes except Hexagon

*PEI is 2 for Legend Hexagon Graphite, 3 for Legend Hexagon Blanco, Arena and Vison

Packaging Info

Size	SF per carton	PC per carton
12"x24" UP	20.34	10
12"x24" PO	18.94	10
24"x48" UP	15.5	2
24"x48" PO	22.96	3
13"x13" Mosaic	13.5	11
3"x12" Bullnose	5.89	24
8"x9" Hexagon	10.36	28